

HUMID

Forced Air Heaters

21 KW # RPH700KFA

HEAT OUTPUT 70,000 BTU 9 HOURS 158m²

\$845 \$689+gst

37KW # RPH1250KFA

OPERATES UP TO HEATING AREA 125,000 BTU 10 HOURS 288m²

\$1095°

OPERATES UP TO HEATING AREA

\$1595° \$1259+gst






63KW # RPH2150KFA

215,000 BTU 8 HOURS 492m²





Dimensions: 55cm L x 39cm W x 56cm H

\$124.30







Far Infra-Red Diesel Heater

22Kw

IRH22

23.5 HOURS | 200m²













How much power do you need? Let's find out www.remingtonpower.co.nz











GENERATORS





Silenced Inverter Generators

6000W Silenced Inverter Generator











- 6000W (max), 5500W (rated) power output
 DB Rating @64db, Weight 56.5kg
 Electronic ignition system & push button electric start
 Two-Wire Start (perfect for solar integration)
 Reliable Powerdyne 4-stroke OHV engine
 Large 13.5L Fuel tank ensures continuous operation
 Internal frame & anti-vibration engine mounts ensures longevity
 Large capacity muffler and silenced casing for super quiet operation
 Heavy duty wheel set & compact for easy transportation
 Thermal overload circuit breakers for increased safety while operating
 High performance air cleaner system

















Available in Other Models)

GT4000ESi

4000W

Electric Push Button Start





8000W

Electric Push Button Start | HOME | WORK













Conventional Generators

- Single & 3 Phase
- Industrial air cleaner and muffler system for cleaner quiet operation
- · Superior alternator & auto voltage regulator for more stable power output
- · Low oil alert with automatic engine shut down
- Industrial roll cage style steel frame
- · Industrial steel frame & solid wheels for easy movement & durability

15000W Electric Start Generator





#GT15000E • 11,500W (max), 10,500W (rated)

18000W Electric Start Generator







• 18,000W (max), 17,000W (rated)



CLEANING or.co.nz **Lavor Hyper Industrial Hot & Cold Waterblasters** • Stainless steel boiler coil for steam up to 140°C Variable flow handgun • 4-pole motor & low speed HD pump for reduced wear • 10m high pressure hose included • 3 phase plug included (with 3 phase machines only) On board detergent tank Hyper Hyper

HYPER1211-INOX

1740psi 11L/m

\$6295*gst

HYPER2015-INOX



2900psi 15L/m

\$7895+gst

HYPER2021-INOX



2900psi 21L/m

S9995+gst

Why Lavor® Hot Waterblasters?

Hot waterblasters are absolutely necessary to degrease oily & caked-on dirt quickly. The hot water assists dirt degreasing & is up to 50% more efficient on stubborn dirt than cold waterblaster alternatives.

With maximum reliability and the best technology & components used, we can assure that Lavor machines work continuously and at top performance.



Long-Life Brass Head



Low Motor Rotation Speed



Vertical Burner





Made in Italy

Made i

1740psi, 11L/min Cold Waterblaster

MCHPX1211-H

- 4 poles electrical motor (1450RPM) w/ thermal protection
- 3 ceramic coated pistons, brass linear pump head w/ built-in by-pass valve
- S/S valves (inlet & delivery), cover & galvanized frame
- Equipped with HP detergent for increased pressure, pressure regulator & gauge
- · Anti-vibration shock absorbers
- Up to 40°C inlet temperature



WELDING





160A Arc/Tig/Plasma Cutter Inverter Welder


10-30A plasma /15-160A HF DC TIG / 15-140A MMA output
 3-in-1 Plasma Cutter, MMA & DC/HF Tig machine
 Featured wave-form control system

- Automatic input voltage fluctuation controller
- 220x465x330mm/ 18kg
- · Cuts up to 8mm











Mig/Arc/DC Lift Tig Inverter Welder

- Cutting edge IGBT technology for ultimate reliability
- Produces professional results, paired with an easy-to-use setup
 MIG, TIG & DC TIG output options, including Gas/Gasless
- Compact & portable construction
- · Included Accessories: MIG torch, Earth Lead set, Arc Lead set, Gas hose & Argon regulator (not included with WT160MP)
- · Optional Accessories: Gas regulator (WT160MP), Tig torch (WT180MP), Spool gun for aluminium (WT200MP)

WT160MP

160A | Welds <6mm Steel







WT180MP

180A | Welds <8mm Steel









200A | Welds <12mm Steel, <8mm Alloy

\$995^{+gst}







PERIO

NG PR

www.strata.co.nz

200A Pulse AC/DC Tig/Arc **Inverter Welder**

EZITIG205ACDC

- 10-200A TIG Output / 10-170A MMA Output
- Compact & portable 8.5kg
- Optional Foot Control
- Optional Variable Amp 8M torch
- Accessories included: 4m Earth lead w/ Earth Clamp, 4m MMA lead w/ heavy-duty electrode holder, 3m TIG torch, 2-stage flowmeter, gas regulator, gas hose, Gas inlet quick connector & hose clamps



\$1895











- 40-200A MIG/ 10-160A MMA Output
- 3m earth lead with heavy duty earth clamp, 4m MMA lead with heavy duty electrode holder, 4m MIG Torch (MT250-4ER), 2-stage flowmeter, argon gas regulator & adapter, gas hose, gas inlet quick connector, hose clamps.

EZIMIG215C

EZIMIG215C PACK

Trolley with storage tray included



















WORKSHOP # WS10.0

10HP | 38.1CFM | 3-PHASE | 270L

- Heavy duty electric motor and componentry
- Italian DOL starter (Direct On Line) and thermal amp overload
- Ideal for automotive & engineering workshops and larger factories
- · Capable of running 3 air tools simultaneously
- Best displacement 1080L/min, 38.1cfm
- Air delivery 710L/min, 25.1cfm









COMMAND

INDUSTRIAL # IND15.0

15HP | 41.5CFM | 3-PHASE | 270L

- · Super-duty V4 twin stage pump for ultra efficiency
- · Will run 3 tools simultaneously
- · Star-Delta starter with solenoid valve for controlled, time delayed start-ups
 • Best displacement 1505L/min, 53.2cfm
- Air delivery 1174L/min, 41.5cfm













3.0HP | 14.9CFM | 1-PHASE

• Physically the largest single-phase compressor in the Air Command range · Heavy-duty oversized slow revving pump w/ built-in after cooler

· Best displacement 421L/min, 14.9cfm; air delivery 337L/min, 11.9cfm











16-Piece Inflation Kit

RA16PCE





30 Piece Air Starter Kit





www.aircommand.co.nz

All prices exclude gst and valid till end of August 2023, or while stocks last. Images may differ slightly from what is displayed depending on model.