

- Overall length 320mm
- Up to 45KN crimping force
- Stroke- 10mm
- Hexagonal crimp indentation



#### MATSON

#### **Lithium Jump** Starter MA21000

- 21000mAh capacity (77.7Wh)
- Back-up power for portable devices Powerful torch function
- Full safety protections





**Bearing** Separator 3 Jaw, 35 - 105mm

245000



- Designed to remove bearings, gears and sprockets effortlessly without damaging shaft and surrounding components
- Special 3 piece jaw design provides 3 positive contact points & distributes the load across the surface when force is applied



## FAMOUS TOLEDO

## **Bearing Separators**

Two knife edges ensure a secure pulling surface

Drop forged hardened alloy steel, used in conjunction with twin pull mechanical pullers, hydraulic pullers or sliding beam applications

Part No. Capacity

245075 50-75mm \$67.72 \$77.88 **245105** 75-105mm **\$92.58 \$106.47** 



#### Obdii Eobd & Can Code Reader 302200

- On board diagnostic tool for viewing key vehicle systems
- Applicable for vehicles from 1996 and later with OBDII/EOBD or CAN
- Operating temperature: 0 to 60°C
- Operating voltage: 8.0 to 18.0 Volts (vehicles battery)





# Slide Hammer Puller Set Front & Rear Hub 245300

Multi-purpose design for removal of front and rear hubs, bearing oil seal bushes and flange type axles

Includes slide hammer with multiple attachments including 2 and 3 jaw internal and external puller, front and rear hub pullers and various accessories



Sykes-Pickavant.

#### **Torque Multiplier** 1300 800600

- Designed to provide higher torque input than would otherwise be possible due to limitations of space or operator strength
- Supplied in sturdy carry case with replacement square drive
- Made in England







Comprehensive multi-purpose puller set designed for the  $removal\ of\ harmonic\ balancers, timing\ gears\ and\ pulleys$ where access to 2 or 3 tapped holes is available



**Air Pulse Parts** Cleaner 305162

Portable air pulse parts cleaner to attach to standard workshop airline

- Agitates submerged part to loosen dirt and grime
- Suitable for use with any water based degreasers
- Size: 600 x 450 x 270mm











**EXCELLENCE BY DESIGN** 

**FAMOUS** 

#### Air Blow Guns

#### **High Flow Safety Type**

- Handy and reliable unit for air cleaning work areas and equipment etc.
- Nozzle width: 8mm
- Inlet: 1/4" NPT

Part No.	Nozzle Length	Price ex GST	Price inc GST
321100	100mm	\$21.68	\$24.94
321101	355mm	\$26.02	\$29.93
321103	120mm	\$20.77	\$23.89

#### Cleaning Brush Set 3 Pc. Nylon, Brass & Steel

- Suitable for removing dirt, grime, rust scale, paint, alloy wheel cleaning
- Each brush is 180mm long



#### **Master Bearing Race** & Seal Driver

- Universal tool for replacing race seat, bearings and seals
- Simply twist head to adjust jaw size
- Aluminium body with hardened steel striking cap

Part No.	Size	Price ex GST	Price inc GST
321085	18-90mm	\$255.35	\$293.65

#### **Brake Bleeder Wrench Set**

#### 310007

- Compactly designed universal brake bleeder wrench set for simple and efficient bleeding of hydraulic
- clutch and brake systems without removing wheels Six-point socket and wrench sizes 7, 8, 9, 10 and 11



# Puller & Bearing Separator Combination Kit Hydraulic

- Universal master kit ideal for various applications
- Includes 75-105mm bearing separator
- Manufactured from drop forged high quality steel and heat treated
- Capacity: 10 tonne Spread: 180mm
- Reach: 425mm

# **TOLEDO TOOL SPECIALS · TOLEDO TOOL SPECIALS**



## **Battery Hydrometer &** Thermometer 303183

- Professional quality hydrometer with built in thermometer
- Graduated scale on in-built meter advises the operator to add or subtract certain values above or beyond 26.6°C (80°F)
- Overall length: 340mm



#### **Brake Caliper** Ratchet Tool 310377

- Easily retract the brake piston
- during brake pad replacement For use on single, twin & quad piston fixed or floating type calipers
- Spread: 40 65mm



#### **Crimper, Cutter & Stripper** -Multifunction 302155

- Handy multifunction tool for cutting, stripping and crimping
- Features screw cutter which shears screws clean
- Overall Length: 210mm



#### **Circlip Plier Set Quick** Conversion

- 10 piece set suitable for installation and removal of internal and external circlips (snap rings) Thumb screw quick
- conversion style
- Includes pick and hook tools



# Spark Plug Installation Tools 302002

- Universal installation tools to assist in removal and installation of spark plugs
- Featuring flexible rubber design for access in limited or difficult applications
- Length: 316mm

#### Caliper Piston Removal Kit 310376

- Designed for caliper piston removal
- to allow easy piston seal replacement Three adaptor sizes provided with various working ranges
- Simply insert tool into caliper, adjust adaptor to size and
- turn handle to release piston
  - Working range: 25-55mm



# **Exhaust Pipe & Tailpipe Service Kit**

- Professional exhaust pipe service kit for expanding, cutting, remove/refit hangers and splitting nuts
- Expander size: 38-64mm & 54-89mm
- Nut splitter: 16-22mm
- Supplied in storage case





#### **Drive Pulley Spanner** Set Metric 12Pt & E-Star 304047

- Ideal for holding, removing and tightening damper, crank, power steering pump, alternator, radiator fans and difficult to access pulleys
- Metric 12 Pt: 12, 13, 14, 15, 16, 17, 18, 19mm
- E-Star: E10, E12, E14, E16, E18
- Overall length: 440mm

## **TOLEDO TOOL SPECIALS TOLEDO TOOL SPECIALS**



#### Inside Calipers

- Inside caliper with solid screw nut designed for reliable, quick and accurate measurement during layout procedures and jobs
- Manufactured from stainless steel
- Made in Japan

Part No.	Туре	Jaw Opening	Price ex GST	Price inc GST
51100	Solid Nut	100mm	\$30.50	\$35.08
51150	Solid Nut	150mm	\$31.17	\$35.85
51200	Solid Nut	200mm	\$35.65	\$41.00
51250	Solid Nut	250mm	\$43.90	\$50.48
51300	Solid Nut	300mm	\$49.98	\$57.48



Textured powder coated finish with black oxide finish on threads and broad swivel pad Made from high grade ductile 60,000 PSI S.G. iron castings

Part No.	Size	Depth	Price ex GST	Price inc GST
301876	75mm	44mm	\$18.17	\$20.89
301871	100mm	59mm	\$25.48	\$29.30
301872	150mm	75mm	\$29.06	\$33.42
301873	200mm	80mm	\$42.27	\$48.61
301874	250mm	90mm	\$67.80	\$77.97
301875	300mm	100mm	\$89.65	\$103.10



# **Fuel Line**

- Convenient fuel line disconnect tool set featuring 4 different sized tools designed for the removal of fuel line fittings
- Black: 1/4" Red: 5/16", Gold: 3/8" Blue: 1/2"

Disconnect Tool Set 301061



## Alloy Wheel Cleaning Brush 301909

- Non-scratching soft bristles specifically designed for cleaning alloy wheels
- Overall length: 240mm



# Cooling System Tester Adaptor 308384

- Expanding Taper: 37-50mm
- Contained in Kit: 308380



#### Piston Ring Compressors

Feature self-locking ratchet assembly and wide band design to enable all piston rings to be compressed in one easy operation

Part No.	Туре	Height	Сар	Price ex GST	Price inc GST
304189	Small	75mm	53-125mm	\$25.25	\$29.04
304190	Large	100mm	60-175mm	\$28.88	\$33.21

#### Mouldable Funnel 305094

- Flexible rubber funnel allows you to bend, fold and mould to create a desired shape for filling or draining fluids
- Size: 370 x 170 x 3mm



- Suitable for removing stubborn spin-on filters of up to 150mm diameter
- 1/2" square drive
- Width: 50mm



#### Lock-Grip Plier VG180

- Curved jaws for better contact on bolt heads, nuts and round work
- Adjusting screw and self locking with release leve
- Overall length: 180mm
- Jaw opening: 0-38mm



#### Tapered Feeler Gauge 301159

- Tapered blade design
- Metric sizing
  Size range: 0.04–0.63mm

.08



## Feeler Gauge 30116

- 16 stainless steel blades
- Metric and Imperial sizing
- Size range: 0.05-0.38mm and 0.002"-0.015"



#### Fan Belt Tensioner 301110

- Suits automotive and industrial belt applications
- Simplifies fan belt tensioning
- Use with 1/2" sq drive ratchet handle



#### Bearing Packer Rapid Action 305097

- Rapid action bearing packer for use with grease gun filler pump
- Non threaded top cone for fast placement of bearings
- Bearing range: 12mm (1/2") I.D. to 125mm (5") O.D. by 10mm (3/8") to 50mm (2") height



- Designed for easy removal and replacement of serpentine belts
- that require release of the spring tensioner on the tensioner pulley
  Innovative combination of Ratchet Wrench and Extension handle
- to allow for 3 dynamic angles of leverage 15 piece kit provides coverage for all major makes and models with serpentine belt configuration

#### Flaring Tool Kit Mechanical 310008

- For creating single, double lap and bubble flares on copper, brass, mild steel & aluminium tubing in metric & imperial sizes
- Flaring adaptors: 4.75, 6, 8, 10mm & 3/16", 1/4", 5/16", 3/8", 1/2"



# **FAMOUS EXCELLENCE BY DESIGN**

#### **Hose Clamp Plier Constant Tension Set**

301170

 Ideal for disassembly of vacuum hose, radiator hose, fuel hose, spark plug lead wire etc





#### Tube Cutter 301033

- Wide dual wheel roller design for neat and square tube cutting Suitable for use on plastic, brass, copper, aluminium and mild steel tubing
- Ideal for automotive, plumbing, industrial and hardware applications
- Metal construction with hardened SK2 alloy steel cutting wheel

#### **Adjustable Heavy** Duty Pry Bar 301186

- Features heavy duty pry bar and podger design with adjustable locking pry bar shaft
- Tapered podger end ideal for alignment of bolt holes
- Suitable for automotive, industrial and hardware applications
- Length: 540-810mm



#### Pry Bar Set Rolled Head 301673

- Features hardened and machined rolled-head (hook) and pointed (podger) end design
- Set contains 150mm, 300mm, 400mm and 500mm bars



#### Pry Bar Set 301083

- Square shanked bars with angled heads
- Suitable for maintenance on engine mountings, cylinder heads and manifolds, exhaust systems, brake parts, shock absorbers, steering linkage, door locks, body panels etc
- Contains 1 x 200, 300, 450 and 600mm bars

## **TOLEDO TOOL SPECIALS · TOLEDO TOOL SPECIALS**



#### Extra Long Screwdrivers

Manufactured from hardened chrome vanadium steel Ideal for work areas with a confined space

Part No.	Description	Price ex GST	Price inc GST
301090	Slotted 7mm, 730mm overall length	\$16.72	\$19.23
301091	Phillips PH2, 730mm overall length	\$16.72	\$19.23



- Strong and robust design with ABS and TPE shock-proof casing
- Double sided metric graduations Ergonomic design with handy keychain ring

# Tweezer Set

- Length ranges from 115-175mm
- Contains: Fine point tweezers, Cotton tweezers, Self-closing tweezers short, Self-closing tweezers long, Curved tweezers and Stamp tweezers



#### Wheel Weight Plier Alloy Wheels 309244

- For the quick installation, removal, trim and
- tightening of wheel weights
- Makes wheel balance weight work simple and quick

# Fencing Plier FP10

- For cutting, gripping and manipulating components and wires, commonly used in fencing and farming applications
- Overall length: 260mm



#### Circlip Tool Kit Heavy Duty

- Compound scissor action allows for use on large circlips
- Suitable for internal and external applications Working capacity: 45 - 180mm (circlip diameter)
- Length: 300mm
- Circlip tip sizes: 2.1mm, 2.8mm, 3.8mm & 4.1mm

#### Extra Long Hook & Pick Set 301072

- Removes oil seals, O rings, cotter pins and bushes
- Stainless steel probe with acetate handle
- Length 270mm

#### Dead Blow Hammer 301302

- Featuring hollowed cylindrical heads containing steel pellets offering a dead blow and significant impact with the rise and fall of the hammer
- Non sparking and marring
- Shockless and non-bound



#### **Ratcheting Crimping** Plier MC4 302217

- Specific crimping pliers for Solar MC4 PV connectors
- Crimp range: 2.5, 4.0, 6.0mm<sup>2</sup>
- Overall length: 220mm



#### Ratchet Podger Metric 301243C

- Combination double socket two sizes in one
- In-built ratchet reverse direction lever
- Tapered end designed to align bolt holes easily Specially designed for heavy duty/industrial use where
- extra leverage and size is required in confined spaces
- Size: 21 x 24mm

#### Twin & Triple Leg Mechanical **Puller Sets**

Interchangeable twin and triple heads allow for an infinite number of internal and external pulling applications



Part No.	Spread	Reach	Capacity	Price ex GST	Price inc GST
224030	75mm	60mm	1 Tonne	\$76.07	\$87.49
224040	100mm	70mm	2 Tonne	\$104.47	\$120.14
224060	150mm	120mm	5 Tonne	\$170.87	\$196.50

# **TOLEDO TOOL SPECIALS · TOLEDO TOOL SPECIALS**

#### **Pressure Sprayers**

- Ideal for most workshop liquids and solvents such as brake cleaner, degreaser tyre shine, detergents, acids and specialised lubricants
- Easy to fill with bulk liquids which saves money on spray cans and one off use bottles

Part No.	Capacity	Price ex GST	Price inc GST
305153	1L	\$41.96	\$48.25
305154	2L	\$54.16	\$62.28



#### **Sliding Beam** Pullers Mechanical

- Twin leg sliding beam pullers
- Legs slide across the beam to produce varying spread sizes to suit various applications

Part No	Spread	Reach	Price ex GST	Price inc GST
232080	80mm	90mm	\$77.81	\$89.48
232120	120mm	90mm	\$88.71	\$102.01
232160	160mm	140mm	\$126.20	\$145.13



#### Caulking Gun 350mm 301655

- Suitable for dispensing sealant, silicone, grease and adhesives in standard size cartridges
- Manufactured from solid metal



#### Aluminium Cutting Rules

- Inbuilt handle provides ease of use and maximum safety when cutting
- Handy for all drafting and marking out applications on walls, ceilings and floors

Part No.	Width	Length	Price ex GST	Price inc GST
322001	60mm	500mm	\$35.85	\$41.23
322002	60mm	600mm	\$39.31	\$45.20
322003	60mm	800mm	\$44.81	\$51.53
322004	60mm	1000mm	\$49.32	\$56.72
322005	60mm	1200mm	\$53.80	\$61.87



#### Socket Tool Organiser 301593

- Wall-mounting aluminium rack, complete with screws
   Length: 438mm



#### Flexible Rules Metric Single Sided

- Graduations on both upper and lower edges with numerical markings in centre only
- Toledo flexible rules are thinner in width and thickness to allow for damage free bending
- One square end and one round end with hanging hole
- Manufactured from stainless steel

Dart No.	Longth	Length Width		Graduations		Price
rait No.	Length	wiutii	Upper	Lower	ex GST	inc GST
321900	300mm	15mm	1mm	1/2mm	\$30.21	\$34.74
321901	600mm	25mm	1mm	1/2mm	\$70.71	\$81.32





**Stainless Steel Single Sided** Flexible Rule Metric

321059

Length: 1000mm



## **Digital Magnetic Box Levels**

- Features a micro electrical mechanical system
- Backlit LCD displays hold, mode and memory recall functions Buzzer sounds when level is at  $0^\circ,45^\circ$  and  $90^\circ$
- Digital accuracy: 0.10 at level and plumb, 0.20 at other angles

Part No.	Description	Price ex GST	Price inc GST
322050	600mm	\$198.56	\$228.34
322051	1200mm	\$268.07	\$308.28

## **Magnetic Box Levels**

- Reinforced profile to maintain accuracy in tough work conditions
- 2 solid acrylic vertical vials with Dual-View vial
- Rubber shockproof end caps to protect the level's integrity

Length	Price ex GST	Price inc GST
600mm	\$82.65	\$95.04
900mm	\$89.52	\$102.95
1200mm	\$96.01	\$110.41
1800mm	\$132.76	\$152.67
2400mm	\$149.45	\$171.87
	600mm 900mm 1200mm 1800mm	600mm \$82.65 900mm \$89.52 1200mm \$96.01 1800mm \$132.76

## **Crowfoot Wrench Set**

Flexible Head, Flared 321265

- Metric flexible flare type crow foot socket set suitable for automotive, industrial and engineering applications Flexible head allows 200° of movement
- Square drive: 3/8"
- Sizes: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm



## **Soldering Irons**

- The perfect solution for all soldering requirements for the professional tradesman or DIY enthusiast.
- Toledo soldering irons offer premium quality, professional features while remaining simple, efficient and easy to use.

Part No.	Wattage	Heat Range	Price ex GST	Price inc GST
302100	50Hz 25W	390-420°C	\$28.74	\$33.05
302101	50Hz 40W	450-480°C	\$31.12	\$35.79
302103	50Hz 80W	480-500°C	\$34.89	\$40.12
302104	50Hz 100W	480-500°C	\$49.98	\$57.48



#### Socket Rails Aluminium

- Professional aluminium socket rail holds standard, deep & specialty sockets
- Manufactured from high quality aluminium with anodised red finish
- Capacity: 16 sockets
- Length: 432mm

Part No.	Size	Price ex GST	Price inc GST
302211	1/4" Sq. Dr	\$25.62	\$29.46
302212	3/8" Sq. Dr	\$25.62	\$29.46
302213	1/2" Sa. Dr	\$25.62	\$29.46

# **FAMOUS EXCELLENCE BY DESIGN**



- Universal joint sockets used in modern automotive applications
- Socket set features square drive with universal joint design, extension bar, sliding T-Handle and ratchet adaptor

Part No	Description	Size	Price ex GST	Price inc GST
301174	Metric Hex	3, 4, 5, 6, 7, 8, 10 (mm)	\$162.41	\$186.77
301175	SAE Hex	3/8"	\$160.13	\$184.15

#### Carpenter's Mitre Squares

 Stainless steel blade with etched graduations

Part No.	Length	Price ex GST	Price inc GST
MS150	150mm	\$37.12	\$42.69
MS200	200mm	\$38.18	\$43.90
MS250	250mm	\$40.70	\$46.81
MS300	300mm	\$43.76	\$50.32



#### **Combination Square** Metric & Imperial CS30012

- Suitable for use as inner or outside try square, mitre square, horizontal, 45° and plumb level, depth and marking gauge and rule
- Detachable ruled blade (300mm / 12 inch)

#### **Engineering Squares**

- Used for producing right angles in carpentry and engineering applications
- Spring steel blade and handle

Part No.	Blade Length (mm)	Price ex GST	Price inc GST
SSA4	100	\$29.61	\$34.05
SSA6	150	\$38.42	\$44.19
SSA8	200	\$65.80	\$75.67

# **TOLEDO TOOL SPECIALS · TOLEDO TOOL SPECIALS**



- 22mm Hex Adaptor, 3/4" Sq. Dr.
- L-Key Hex: 4mm
- Length: 107mm
- Size: 17, 19, 22, 24(mm)



#### Flare Nut Wrench Set 301040

- Double ended flare nut wrench set
- Ideal for automotive, hydraulic and refrigerant applications Size: 3/8" x 7/16", 1/2" x 9/16", 5/8" x 11/16"



 $\bigcirc * *$ 

#### Ball Joint Separator 135mm 311274

- Fork opening: 19mm
- Reach: 38mm
- Jaw capacity: 15-48mm



#### Ball Joint Separator 160mm 311275

- Fork Opening: 22mm
- Reach: 44mm
- Jaw capacity: 1st stage: 0-30mm, 2nd stage: 12-56mm



### **Ball Joint Separators**

- Separates ball joints with striking hammer at the end of the handle
- Suitable for passenger vehicles and commercial vehicles
- Manufactured from drop forged steel

Part No.	Length	Fork Opening	Price ex GST	Price inc GST
311271	200mm	17mm	\$16.29	\$18.73
311273	300mm	24mm	\$16.14	\$18.56



\$47.66

\$41.45



#### C-Hook Wrenches

- Adjustable 'C' wrench with pivot jaw for use on castleated nuts
- Drop forged steel

Part No.	Capacity	Price Ex. GST	Price Inc. GST
315150	19-51mm	\$48.25	\$55.49
315151	32-76mm	\$71.83	\$82.60
315152	51-121mm	\$89.14	\$102.51
315157	112-158mm	\$131.38	\$151.08

#### **Ball Joint Puller** Window Type 311069

- Heavy duty puller for the removal of stubborn or seized ball joints
- Jaw opening: 30mm
- Capacity: 60mm





#### Screw Extractor Set 301075

- For removal of broken screws, bolts or studs
- Six piece set suitable for use on screws or bolts from 3–25mm



- Utilises a 10 tonne hydraulic power
- system to drive the five nut splitting blades supplied
- Hardened, durable cutting blades of 3/8", 1/2", 5/8", 3/4" and 1"  $\,$ Capable of splitting hexagon mild steel nuts to a maximum of  ${\bf 1}$ 1/2" (38mm) across the flat, without causing damage to the stud or bolt



## Magnetic Stainless Steel Tray 301188

- With strong built-in magnet
- Attach to your hoist, scissor lift, steel
- workbench or any metal surface
- Stow small parts, nuts, bolts and screws neatly and securely
- Save time and avoid the frustration of items going missing

309035

# TOLEDO TOOL SPECIALS · TOLEDO TOOL SPECIALS



#### Inner Tie Rod Tool Set 311287

- Specialty kit designed for inner tie rods which are inaccessible to adjust
- Sizes include: 14, 17, 33.6 (mm) and 1 3/16", 1 1/4", 1 5/16", 1 7/16"



#### Inner Tie Rod Tool Set 311295

- Remove and install inner tie rod ends in confined space without removing steering rack
- Main body 500mm with knurled grip and 1/2" square drive
- Suitable for most light commercial trucks and heavy vehicles
- Sizes: 33.6mm, 17/6", 38.4mm and 42mm crowfoot



### **Ball Joint Separator 311276**

- Designed for the removal of ball joints where working space
- Included are two 90mm side braces to extend jaw capacity
- Fork opening: 17mm Reach: 30mm
- Jaw capacity: Std: 35mm, Ext: 70mm





- Strong and durable, this kit safely removes rusted or seized
- nuts without damaging the thread of the stud or bolt Contains two nut splitters Small: suits nuts from 3-16mm, Large: suits nuts from 10-25mm





#### **Letter Punch Sets**

- Number punch set suitable for automotive and industrial applications
- Suitable for most metal surfaces including wood and plastic

Part No.	Punch Size	Contains	Price ex GST	Price inc GST
301626	3mm	A-Z and "&" symbol	\$25.65	\$29.50
301627	5mm	A-Z and "&" symbol	\$39.93	\$45.92

# **FAMOUS EXCELLENCE BY DESIGN**



#### Slide Hammer Gear/Bearing Puller Kit Mechanical 269000

Includes two 100mm internal triple leg pullers (15-30mm & 30-80mm) and one 100mm external triple leg puller (15-80mm) Slide hammer: 1.1Kgs

#### **Wobble Extension Bar Sets**

- Extensions with unique male end enable the user to drive sockets up to 15° from vertical
- Spring loaded ball bearing holds socket securely

Part No.	Description	Length mm	Qty		Price inc GST
321044	1/4" Sq. Dr.	50, 75, 150, 250, 450	5	\$52.28	\$60.12
301938	3/8" Sq. Dr.	45, 75, 150, 250, 450	5	\$48.90	\$56.24
301937	1/2" Sq. Dr.	50, 125, 250, 500	4	\$64.79	\$74.51



#### **Professional Breaker Bars**

- Drop forged alloy steel, square drive
- 610mm (24") long for extra leverage

Part No.	Size	Length	Price ex GST	Price inc GST
301245	1/2"sq drive	610mm	\$60.25	\$69.29
301246	3/4" sq drive	610mm	\$68.59	\$78.88





Shaft Claw Style Heavy Duty 301697 Featuring flexible shaft with spring loaded extendable

retrieval claw function including magnetic tip

#### Spanner Rack Organiser 15pc 301108

Versatile spanner organiser suitable for offset and open end or combination spanners Manufactured from high impact plastic with







#### Trim & Clip Remover Set 313030

- Ideal for damage free removal of trim and clips
- Size range: 5-7mm & 6-9mm
- Made in Japan





## **BIKESERVICE TOOL SPECIALS · BIKESERVICE**





#### Chain Extractor BS3500

- Spring loaded clamp designed for chain repair
- Once clamped behind linkage the forcing screw quickly and easy removes rivet pin
- Grind chain pin heads prior to use
- Suits: No. 4 size chain





#### Damper Rod Fork Tool BS50013

- Designed for the servicing of most Kayaba and Showa inverted forks Sizes 41, 43, 46 & 47mm
- Equivalent to OEM part number Honda 07PMB-KZ4010A and Yamaha YM-01423



#### Drive Chain Tensioner BS1164

- Tensions and holds chain in position leaving hands free for easy removal or installation of the connector or master link
- Caliper type design is simple and effective making chain replacement quick and easy



## Cable Wire Lubrication Tool BS4531

- Designed to lubricate throttle and clutch cables
- Lubricating motorcycle cables prolongs service life and reduces risk of breakage
- Simple operation injects lubricant into cable housing



#### Chain Alignment Tool BS70007

- Enables quick and accurate chain alignment
- Designed for universal use, suitable for most motorcycles and ATV's
- Affix to the rear sprocket with alignment rod facing forward to align chain
- Suitable chain sizes 420 630mm



#### Impact Screwdriver Set BS9651

- Impact drive handle loosens rusted or seized screws, nuts and bolts with ease
- Reversible operation allows for secure removal and tightening
- 8 piece set includes impact handle, 4 x Phillips bits and 3 x Flat head bits
- Suitable for both left and right handed threads
- Phillips bits: PH1, PH2, PH3, PH4
- Flat head bits: 8, 10, 12mm





# 6 in 1 Magneto Fly Wheel Puller BS9950

- Specially designed tool for the standard AC flywheel wheel ring
- Six sizes to fit most magneto flywheel threads Since some flywheels are the taper lock style, they can
- only be disengaged using this specialist tool
- Use with soft face hammer for quick removal from tapered shafts
- Sizes: M10 x 1.25 RH, M14 x 1.5 RH, M16 x 1.5 RH, M18 x 1.5 RH, M24 x 1.0 RH, M27 x 1.0 LH



#### **Ratchet Wrenches**

- 72 teeth reversible ratchet with offset handle design specific for motorcycle maintenance
- Includes quick release socket removal

Part No.	Sq. Drive	Price ex GST	Price inc GST	
BS7288	1/4" Sq. Drive	\$33.73	\$38.79	
BS7291	1/2" Sq. Drive	\$49.07	\$56.43	





#### **Front Wheel Bearing Removal Tool Set**

BS5535



- Split collet puller set for radial ball bearing removal
- Ideal for the removal of wheel bearings, pinions, oil seals etc.
- Sliding hammer and adaptors to suit ball bearing inner diameter sizes from 15mm to 30mm
- 10 piece set supplied is a protective metal case
- Collet sizes: 15, 17, 20, 25, 28, 30mm





## **BIKESERVICE TOOL SPECIALS · BIKESERVICE**



#### Wire Terminal Tool BS1815

- Designed for easy removal of terminals and wires from electrical connectors
- Reduces risk of damage to wires, terminals and connectors
- Rectangular blades for pack-con terminals, flat blade to open connectors, fork for ALDL connectors



- Measures angle of rotation after pre-torque load in torque to yield applications 360° scale clearly marked in 2 degree
- increments and in intervals of 10 and 30
- Magnetic flexible supporting shaft holds the gauge leaving hands free during operation
- 1/2" Square drive





#### Anti-Slip Film Roll BS1035

- Anti-slip tape provides a non-slip surface for components where grip is essential
- Size roll: 10 x 3000mm



#### **Heat Shrink Tube** Set 171 Piece BS1030

- RoHS compliant
- Shrink ratio: 2:1
- Shrink temp: 70°C 110°C
- Operating temp: -55°C 125°C

#### Hand Drive Bit Set 10 Piece BS6006

- Drive bits are essential for motorcycle work High quality heat treated S2 steel bits
- Palm size 1/4" high torque ratchet wrench is
- suitable for confined spaces
- Size: 1.5, 2, 2.5, 3, 3.5, 4, 5, 5.5, 6, 8mm





# Cable Wire Replacement Tools BS9835

- Bullet shape tool connects one end of old cable wire and one end of new cable enabling ease of cable replacement without damage
- Suits: 3mm Side Lock, 5mm Hex







## **Chain Link Pliers**

#### BS3506

- Designed for easy installation and removal of clip type master chain links
- Specialised jaws grip and work chain link to ensure secure fitment during maintenance



#### Wheel Turning & Balancing Stand BS5501

- All in one motorcycle wheel balancing stand with
- adjustable legs and molded all-round reading level Adjustable centring coned rods on ball bearings
- Capacity: 460mm (18")
- Maximum width: 370mm (141/2")





#### **Master Mechanics** Tool Kit 110 Piece BS9839

- A comprehensive tool set with all tools and tool sizes specially selected for motorcycle service and maintenance
- Includes a comprehensive selection of quality Bikeservice screwdrivers, Allen keys, ratchets, sockets and bit sets
- Size: 440mm (W) x 240mm (D) x 230mm (H)
- Weight: 15kgs (includes tools)





## SYKES-PICKAVANT SPECIALS · SYKES-PI





#### **Caliper Piston Windback Tool**

• Basic model c/w 036105 adaptor no. 1 only



## **Infra-Red Laser Tachometer**

- Non-contact Infra-Red Laser Tachometer for measuring RPM on rotating shafts, pulleys, wheels etc.
- Infra-red laser picks up signal from reflective tape which is placed on the rotating shaft
- Features bright and powerful laser optical system for easy targeting of rotating object, even in bright daylight
- Measurements can be obtained from safe and comfortable distances from 5 to 50cm



#### **Professional Flood** and Area Worklight 300609

- Multifunctional flood and area light suitable for use in workshops, building and camping
- Stepless dimmer switch easily adjusts the brightness from 60 - 1000 Lumens
- Built in power bank allows for the charging of smartphones and tablets
- Super strong magnet and hook is suitable for hands free applications



#### **Mechanical External Separator Kit**

- With tapered edge for insertion behind close fitting bearings, gears etc.
  Drop forged, high quality alloy steel,
- heat treated for strength and durability

Part No.	Spread mm	Length mm	Price ex GST	Price inc GST
093200	35-140	860	\$1,285.14	\$1,477.91
093300	50-175	760	\$2,441.37	\$2,807.58



#### Torque Multiplier

- Designed to provide higher torque input than would otherwise be possible due to limitations of space or operator strength
- High ratios allow the use of a small torque wrench or breaker bar
- Supplied in sturdy carry case with replacement square drive

Part No.	Ratio	Capacity Nm	Input Drive	Output Drive	Price ex GST	Price inc GST	
800655	5:1	270 - 2700	1/2"	1″	\$2,790.00	\$3,208.50	





## Slide Hammer Assembly 4.5kg 085309

Heavy duty 4.5kg slide hammer can be used with the full range of Sykes-Pickavant hub pullers to remove hubs and half shafts quickly and efficiently



**NEW** Two piece split torque head and handle design



#### Collapsible Magnetic **Parts Trays**

- For safely storing small parts, nuts, bolts and screws Sticks to any ferrous surface with ease
- Strong rubber covered magnetic base prevents scratching on sensitive surfaces

ŀ	Part No:	Shape	Size mm	Depth Range mm	Magnet Size mm		Price inc GST
6	80001	Round	135	10 - 80	1 x 50	\$24.09	\$27.70
6	80002	Round	225	10 - 115	1 x 85	\$58.03	\$66.74
6	80003	Oval	200 x 280	10 - 60	2 x 80	\$74.43	\$85.60





New Generation Mortorq 2 piece split torque head and handle design

Unique profiled cam and reaction plate, provides a clear torque signal and the large break angle greatly reduces the possibility of over torqueing

Part No.	Sq. Drive	Capacity Lbf.ft	Capacity Nm	Length mm	Price ex GST	Price inc GST
802500	3/4"	200 - 750	300 - 1000	1449	\$1,393.45	\$1,602.47
802550	1″	500 - 1000	700 - 1500	1764	\$1,995.00	\$2,294.25



## **MATSON SPECIALS · MATSON SPECIALS · MATSON**



#### DHC Battery Chargers

- Water & dust resistant, ideal for boating and the great outdoors
- These charges can be used indoors, outdoors and hard wired if required
- LED Display with battery status indicators
- Smart Pulse Technology

Part No.	AMP	Price ex GST	Price inc GST
AE150E	1.5	\$116.25	\$133.69
AE300E	3	\$125.88	\$144.76
AE500E	5	\$137.95	\$158.64





#### Workshop Charger 5/10/15amp

- The WORKSHOP MW15 is a 7 stage pulse charger and has a unique inbuilt diagnosis program. On connection to the battery, the charger will automatically diagnose the batteries condition and change its charge rate and charge stages according to the battery's state of charge. This function will optimise charging conditions and extend battery life. This charger is 12 Volt with the options of 5, 10 or 15 Amp.
- 12 Volt, 5/10/15 Amp





#### Terminal Assortment MABTP50

- Selection of 50 popular terminals and 3 pairs of covers
- Contains MA11 x 10, MA14N x 5, MA14P x 5, MA32 x 10, MA36STN x 5, MA36STP x 5, MA100N x 5, MA100P x 5




#### Bluetooth® Vehicle Monitor MA98414

- Plugs into OBDII port
- Monitor vehicle conditions in real-time Monitor fuel consumption
- Diagnostic function to scan,
- read and clear fault codes









- Ultra-Lightweight
- Water-resistant
- Includes spring carabiners for mounting

## **DHC Memory Minder 12 Volt**

- 12 Volt Memory Minder with 4 Amp Hour (AH) battery capacity
- Saves all the vehicles computer codes and settings while your changing the vehicles main starting battery over





#### Portable Solar Charger MA1104

- Portable solar charger
- 12V, 1 Amp solar maintenance charger
- 5V, 2.1 Amp USB charger
- Water-resistant
- Includes USB and 12V charging cables!
- Zippered pouch for cable storage







#### Bluetooth Wireless Technology Battery Monitor MA98415

- Real-time battery monitoring of up to four devices simultaneously
- Monitors can be combined for 24V, 36V & 48V systems (one monitor required per battery)
- Stores and displays historical data Tests vehicle cranking and charging levels
- Alerts sent to mobile device
- Auto synchronisation (10m range)
- Free app for iOS and Android





## **Hydraulic Crimper**

- Comes with 8 & 10 sets of interchangeable dies
- Hexagonal crimp indentation

Part No.	Lug Size	Length	Price ex GST	Price inc GST
WV333U	6mm² - 300mm²	500mm	\$3/0.70	\$402.26



### **RENNSTEIG SPECIALS · RENNSTEIG SPECIALS**



**RENNSTEIG** 

#### **Screw Extractor Set** Dual Edged 471906

- Sizes 1-5 in durable pouch
- Right & left hand threads
- Screw removal M3-M18 With Centre punch point
- Made in Germany







- For stamping out or producing gaskets and seal rings from materials such as rubber, leather, felt, plastic, cork, fabric or similar components
- Made in Germany

Part No.	Qty	Punch Size	Price ex GST	Price inc GST
140900	9	3-19mm	\$179.04	\$205.90
140901	15	2-30mm	\$384.54	\$442.22
140902	19	2-20mm	\$479.77	\$551.74





#### Parallel Pin Punch Set XXL5 PC

#### 425154

- Set of five parallel pin punches XXL in
  - foam tray with quality case Heat treated for the perfect balance of hardness, strength and durability
- With hand guard
- Size range: 8, 10, 12, 14 & 16mm
- Made in Germany



A RENNSTEIG

#### **Crowbars**

- Heavy duty crowbars suitable for all demolition, carpentry and construction work
- High-quality forged tool steel with black powder coated finish
- Made in Germany

Part No.	Length mm	Туре	Weight	Price ex GST	Price inc GST
27311000	1000mm	Curved Edge with Pointed Tip	5.18kg	\$131.94	\$151.73
27311500	1500mm	Curved Edge with Pointed Tip	7.95kg	\$197.90	\$227.59
27321000	1000mm	Straight Edge with Pointed Tip	5.13kg	\$131.94	\$151.73
27321500	1500mm	Straight Edge with Pointed Tip	7.91kg	\$197.90	\$227.59

Part No.	Length mm	Туре	Weight	Price ex GST	Price inc GST
27341000	1000mm	Curved Claw Edge with Pointed Tip	5.18kg	\$131.94	\$151.73
27341500	1500mm	Curved Claw Edge with Pointed Tip	7.92kg	\$197.90	\$227.59
27351500	1500mm	Straight Edge with Ball Tip	8.6kg	\$285.85	\$328.73

Prices include GST. Please refer to the relevant Tridon catalogues for more comprehensive product information. As participating stores are independant businesses, they reserve the right to set their own selling prices. Pricing throughout this publication is the recommended trade price and may vary from store to store. Every effort has been made to ensure stocks are available at the time of printing. Should any item not be in stock on placement of orders, stores will endeavour to procure those published items. Product images are for illustration purposes only. Produced by Tridon Australia Pty Ltd ACN 001 398 698 ABN 90 001 398 698