



- Universal joint sockets for use on Metric Hex fasteners used in modern automotive applications
- Socket set features 3/8" square drive with universal joint design, extension bar, sliding T-Handle and ratchet adaptor



Butane Blow Torch

- Self-igniting piezo ignition
- Flame temperature 1000-1100°C
- Operating time: 45mins

PRODUCT







FAMOUS OLEDO

Pressure Sprayers

• Ideal for most workshop liquids and solvents such as brake cleaner, degreaser, tyre shine, detergents, acids and specialised lubricants



Part No.	Capacity	Working Pressure	Price ex GST	Price inc GST	
305153	1L	50 - 70psi	\$43.97	\$50.57	
305154	2L	50 - 70psi	\$56.78	\$65.29	

Designed to restore damaged, worn or corroded threads

NEW PRODUCT



6/12V Battery Charger 4 Amp AEE400

- FLithium compatible
- Fully automatic charging
- Zero volt pick up
- Enables charge to a dead battery
- Automatic maintenance mode
- Short circuit protection



Suitable for left and right handed threads of almost any diameter Length Thread pitch range Price inc GST 301065 230mm 0.80, 1.00, 1.25, 1.50, 1.75, 2.00, 2.50, 3.00 (mm) **\$58.08** \$66.79 230mm 10, 11, 12, 14, 16, 18, 20, 24 (TPI)

305154

305153

FAMOUS TOLEDO

Twin & Triple Leg Mechanical Puller Sets

- Interchangeable twin and triple heads allow for an infinite number of internal and external pulling applications
- Manufactured from drop forged chrome vanadium alloy steel to increase rigidity
- Designed for easy removal of bearings,





Part No.	Spread	Reach	Capacity	Price ex GST	Price inc GST
224030	75mm	60mm	1 Tonne	\$79.73	\$91.69
224040	100mm	70mm	2 Tonne	\$109.49	\$125.82
224060	150mm	120mm	5 Tonne	\$179.09	\$205.95



FAMOUS OLEDO **Thread Files**















Pick Up Rules

- Metric, single sided stainless steel Photographically etched markings
- Made in Japan





Outside Calipers

- Outside caliper with solid screw nut designed for reliable, quick and accurate measurement during layout procedures and jobs
- Made in Japan





Triple Leg Puller

- Manufactured from drop forged chrome vanadium alloy steel
- Designed for easy removal of bearings, pulley, gears and sprockets
- Suitable for internal and external applications



Part No.	Spread mm	Reach mm	Price ex GST	Price inc GST
223120	300	215	\$465.60	\$535.45

Bearing Separator 3 Jaw, 35 - 105mm



- · Designed to remove bearings, gears and sprockets effortlessly $without\,damaging\,shaft\,and\,surrounding\,components$
- Special 3 piece jaw design provides 3 positive contact points & distributes the load across the surface when force is applied

Stainless Steel Rules Single Sided Metric & Imperial

- Manufactured from high quality stainless steel
- Made in Japan

Part No.	Length		Price ex GST	Price inc GST
150060	1500mm	Single sided Metric & Imperial	\$277.45	\$319.07
200078	2000mm	Single sided Metric & Imperial	\$403.40	\$463.91
3000118	3000mm	Single sided Metric & Imperial	\$932.57	\$1072.46





Stainless Steel Rules Double Sided Metric & Imperial

- Manufactured from high quality stainless steel
- Made in Japan

Part No.	Length	Style	Price ex GST	Price inc GST
30012	300mm	Double sided Metric & Imperial	\$19.98	\$22.98
60024	600mm	Double sided Metric & Imperial	\$46.21	\$53.14
100036	1000mm	Double sided Metric & Imperial	\$82.51	\$94.88

Twin Leg **Mechanical Pullers**

- external and internal applications
- Suitable for pulling gears, bearings and sprockets etc in automotive and industrial applications





Part No.	Spread	Reach	Capacity	Price ex GST	Price inc GST
222060	65 - 150mm	150mm	5 Tonne	\$77.05	\$88.61
222080	105 - 200mm	200mm	7 Tonne	\$119.94	\$137.93
222100	125 - 250mm	250mm	9 Tonne	\$229.14	\$263.51
222120	155 - 300mm	300mm	13 Tonne	\$287.82	\$330.99

Flexible Rules Metric Single Sided

- Graduations on both upper and lower edges with numerical markings in centre only
- Toledo flexible rules are thinner in width and thickness to allow for damage free bending
- One square end and one round end with hanging hole
- Manufactured from stainless steel

Part No.	Longth	Width	Graduations			Price
rait Nu.	Length	wiatii	Upper	Lower	ex GST	inc GST
321901	600mm	15mm	1mm	1/2mm	\$74.12	\$85.24



Sliding Beam Puller Mechanical

- Twin leg sliding beam pullers Legs slide across the beam to produce varying
- spread sizes to suit various applications





Puller & Bearing Separator Master Kit Mechanical & Hydraulic

- Contains forcing screw and convertor to provide quick and easy conversion from hydraulic operation to mechanical
- Complete with components to construct varying two and three leg puller assemblies as well as a rear access bearing separator set up

Part No	Separator	Spread	Reach	Price ex GST	Price inc GST
265030	75 - 150mm	180mm	425mm	\$791.24	\$909.93







tightening the centre shaft bolt Locking screws thread size: M8 & M10

Fixed distance: 54-120mm

Harmonic

Balancer Puller & Installer Set 245400

- For easy removal of most harmonic balancers and drive pulleys which are press-fitted onto the crankshaft
- Unique disc design intended for trouble free removal of harmonic balancers
- Range of metric and imperial sized bolts and adaptors provide a wide coverage
- Heavy duty 34" diameter forcing screw is internally threaded to fit adaptors



Banding Tool With Cutter Band Style Clamps 301104

- Suitable for fastening of band clamps on CV boots
- Inbuilt cutting assembly enables tension to be kept while clamps are tightened and cut during installation
- Overall length: 230mm





Brake Caliper Ratchet Tool 310377

- Easily retract the brake piston during brake pad replacement
- For use on single, twin & quad piston fixed or floating type calipers

Spread: 40 – 65mm



Brake Caliper Gearless Press Kit

- Gearless brake piston caliper press kit for service and repair
- Ideal for 1, 2, 4, 6 and 8 piston brake calipers on passenger, all-wheel-drive and light commercial vehicles
- Plate size: 90x60mm, 148x60mm & 180x60mm
- Spread: 43 65mm



Universal Joint Pullers


- For removing universal joints on tail shafts Dismantles safely without impact or excessive
- force preventing distortion to the flange Suitable for passenger, light commercial and
- Heavy duty steel for superior strength

heavy vehicles

Part No.	Size	Size range	Price ex GST	Price inc GST
245500	Small	1.0" - 1.25" (25.40 - 31.75mm)	\$286.78	\$329.80
245501	Medium	1.25" - 1.7" (31.75 - 43.18mm)	\$383.27	\$440.76
245502	Large	1.5" - 2.2" (38.10 - 55.88mm)	\$426.44	\$490.40



Alternator Tester



- Displays alternator output with the engine running
- Indicator shows poor, fair or good condition
- Magnetic backboard enables hands free operation for easier testing



Portable Bearing Packer 95mm 305150

- Simply apply pressure and old grease is forced out and evenly replaced by fresh grease
- Clear canister allows for easy identification and reduces cross contamination
- Suits bearings 50-95mm in diameter





Fluid Quick Lock Fuel Set

Multipurpose kit for clamping and sealing automotive pipes including brake pipe, cooling bypass, fuel pipe, A/C and banjo pipes

Supplied with 3 dies for pipe sizes 4-10mm and 1 specialty die for banjo pipes



Brake Line Crimping Plier Set 301025A

- Designed to shut off (restrict) flow of fluid or vacuum, ideal for automotive applications including vacuum, fuel, brake and heater hoses
- 4 piece set (4 x 150mm pliers)



Bearing Separators

- Designed for removing gears and bearings where access is available behind the item
- Drop forged hardened alloy steel, used in conjunction with twin pull mechanical pullers, hydraulic pullers or sliding beam applications

Part No.	Capacity	Price ex GST	Price inc GST
245040	20-40mm	\$36.83	\$42.35
245050	30-50mm	\$54.56	\$62.74
245075*	50-75mm	\$70.97	\$81.62
245105*	75-105mm	\$97.01	\$111.57
245150*	105-150mm	\$229.90	\$264.38



Brake Disc Puller 170 - 400mm 310260



- For the removal of stubborn brake discs and drums
- Reduces impact on wheel bearings, ball joints, suspension and electrical sensors
- Capacity: 170 400mm



Torque Multiplier Kit 3200nm 309055

- Professional heavy duty tool for removing stubborn wheel nuts on heavy vehicles, light commercial trucks, buses and vans
- Max output: 3200Nm (2360lb/ft)
- Gear ratio: 1:56
- Socket size: 24, 27, 30, 32, 33, 36



Oval Telescopic Pocket Mirror 301011

- Features pocket clip
- Mirror dimension: 25 x50mm
- Telescopic range: 200 520mm



- Master Ratcheting Chuck Key (4in1)
- Sizes: 1/4"(6mm), 3/8"(10mm), 1/2"(13mm)







Breaker Bar Ratchet Head

- Adjustable length high torque breaker bars provide greater flexibility and versatility
- · Ratcheting head with high torque capabilities allows for use in heavier duty applications

Part No.	Size	Length	Price ex GST	Price inc GST
321250	1/2" Sq.Dr.	420-610mm	\$139.21	\$160.09
321251	3/4" Sq.Dr.	610-915mm	\$267.98	\$308.18



Mouldable Funnel 305094

- fold and mould to create a desired shape for filling or draining fluids
- Size: 370 x 170 x 3mm





Alloy Wheel Cleaning Brush 301909

- Non-scratching soft bristles specifically designed for cleaning alloy wheels
- Overall length: 240mm



- Curved blade design delivers a clean cut without causing distortion of the cable or frayed ends
- Suitable for use on copper and aluminium cables up to 70mm²
- Not suitable for steel wire or wire ropes
- Cutting range (max): 70mm²



Drive Pulley Spanner Set 304047

- Ideal for holding, removing and tightening damper, crank, power steering pump, alternator, radiator fans and difficult to access pulleys
- Multi adaptor head with secure locking mechanism
- E-Star: E10, E12, E14, E16, E18
- Metric: 12, 13, 14, 15, 16, 17, 18, 19 (mm)
- Overall Length: 440mm



Breaker Bar Standard Head

- Manufactured from heat treated drop forged chrome vanadium steel with corrosion resistant mirror-chrome finish
- Square drive design with 180° rotating head for increased versatility

Part No.	Sq Drive	Length	Price ex GST	Price inc GST
301245	1/2"	610mm	\$63.15	\$72.62
301246	3/4"	610mm	\$71.87	\$82.62

Breaker Bar Standard Head 3/4" Sq. Dr. 1000mm Extra HD 301822

• This breaker bar features an extra heavy duty design with a much thicker neck and robust bar compared to normal breaker bars

Compact Hand Cable Cutter 316009

- Curved blade design delivers a clean cut without causing distortion of the cable or frayed ends
- Suitable for use on copper and aluminium cables
- Length: 150mm
- Cutting range: 22mm²

Combustion



Gas Leakage Test Kit 304000 Diagnose cylinder head and gasket leaks by detecting the

- presence of combustion gases in the cooling system Universal cone adaptor suitable for most vehicles
- Includes 250ml detector fluid

Parts Cleaning Brush 301004

Strong & durable brush with wooden handle & heavy duty flexible bristles



Antifreeze Tester Ethylene Glycol 308499

- Designed for testing ethylene glycol based coolant and also suitable for OAT (Organic Acid Technology) antifreeze
- Dual scale reads Celsius and Fahrenheit
- Temperature range: -37°C to -7°C
- Overall length: 360mm



Cooling System Tester Heavy Goods Vehicle 308390

 Featuring seven specialist adaptors to suit some of the popular makes on Australian and New Zealand market



Thickness Gauge Metric Lever Type - Deep 322108

- High precision expert thickness gauge for precision measuring work
- Type: Metric Deep
- Graduation Range: 0.01 x 10mm
- Throat Depth: 120mm
- Accuracy: ± 20μm
- Contact Point Diameter: 10mm
- Contact Point Parallelism: 5µm
- Measuring Force: < 1.8
- Made in Japan



Thickness Gauge Metric Lever Type - Standard 322105

- High precision expert thickness gauge
- for precision measuring work Graduation Range: 0.01 x 10mm
- Throat Depth: 20mm
- Accuracy: $\pm\,20\mu m$
- Contact Point Diameter: 10mm
- Contact Point Parallelism: 5um
- Measuring Force: < 1.8
- Made in Japan







ALS · SPECIALS · SPECIALS · SPECIALS



Cooling System Pressure Tester & Vacuum Purge Master Kit 36PC 308500

- All new comprehensive 36 Piece Master Kit
- New components including the all new Hyundai adaptor (exclusive to Toledo)
- New & improved UPDATED application list
- Covers most common make's & model's and 98% of the AUS/NZ car parc



- **Glow Plug Socket Sets** Universal Jointed 30404
- Designed to grip glow plug firmly
- Overall length: 150mm each
- Size: 8, 9, 10, 12, 14, 16 (mm)
- Drive type: 3/8" Sq. Dr.



_	manufactured from mgn quanty steer
	for strength, durability and accuracy
•	Designed for measurement of small

gaps, ideal for use in engineering and automotive applications

Part No.	Description	Size Range	Price ex GST	Price inc GST
301157	26 cranked (45°) steel blades	0.127mm- 0.762mm/0.005"-0.030"	\$16.88	\$19.41
301156	22 steel blades	0.102mm (0.004") – 0.686mm (0.027")	\$19.65	\$22.60



Mini Pistol Grease Gun 305222

• Single hand operated pistol grip grease gun with convenient pull





Lever Action Grease Gun Heavy Duty 450g 305219

- Lever action grease gun with 150mm steel extension and 4 jaw coupler
- Pressure: 69,000 kpa



Exhaust & Tailpipe Expander 312289

- Internal expanding tool which operates with wrench for all tailpipe expanding
- Hex nut is turned to expand the inside diameter of the tube
- Diameter: 38-64

Dead Blow Hammers

Featuring hollowed cylindrical heads containing steel pellets offering a dead blow and significant impact with the rise and fall of the har

Part No.	Face Dia.	Face Length	Price ex GST	Price inc GST
301079	35mm	90mm	\$32.58	\$37.47
301081	55mm	110mm	\$50.19	\$57.72



Hydraulic Nut Splitter 301750

- Utilises a 10 tonne hydraulic power system to drive the five nut splitting blades supplied
- Hardened, durable cutting blades of 3/8", 1/2", 5/8", 3/4" and 1
- Capable of splitting hexagon mild steel nuts to a maximum of 1 1/2" (38mm) across the flat, without causing damage to the stud or bolt



Exhaust Donut Stretcher 312291

For removal and installation of ring type (donut) rubber hangers

66

Grease Gun Holder 305001

Heavy duty grease gun holder suitable for automotive. industrial, construction, farm



Clear Canister Grease Gun 305100

- Type: Lever with 150mm steel extension & 4 jaw coupler
- Output: 1g per stroke (1oz per 28 strokes)
- Pressure: 69,000 kPa (10,000 PSI, 690 Bar)



Disc Brake Cylinder Hone 301047

- Specialist 3 leg honing tools designed for deglazing cylinder bores on brake components
- Fitted with 3 x 28mm medium grit hone stones
- Bore Capacity (I.D.): 32-89mm
- Overall length: 210mm



Cylinder Hone - Brake Twin Lég 24-60mm 301049

- Specialist honing tool designed for deglazing cylinder bores on brake components
- Bore capacity (ID): 20-64mm
- Overall length: 210mm



Disc Brake Cylinder Hone 301048

- Specialist 3 leg honing tools designed for deglazing cylinder bores on brake components
- Fitted with 3 x 28mm medium grit hone stones
- Bore Capacity (I.D.): 19-50mm
- Overall length: 210mm





Hydraulic Couplers 4 Jaw 305231

- Hexagonal nut allows easy tightening
- Pressure: 42,300 kPa (6,000 PSI, 423 Bar)
- Thread: 1/8" BSPT

Flexible Heavy Duty Grease Hose

- Suitable for hand operated grease guns only
- Thread: 1/8" BSPT

Part No.	Length	Price ex GST	Price inc GST
305234	300mm	\$13.98	\$16.08
305235	450mm	\$18.15	\$20.87

Pistol Grease Gun Heavy Duty 305099

- Type: 150mm steel extension, 300mm flexible hose & 4 jaw coupler
- Coupler nut & sleeve can be adjusted for variation in grease nipple sizes
- Bulk capacity: 500cm³







SCIALS · SPECIALS · SPECIALS · SPECIALS



Ball Pein Hammers

- Forged fine grain carbon steel head, hardened and tempered with an anti-rust dual finish
- Ideal for universal applications

Part No.	Description	Price ex GST	Price inc GST
321052	Ball Pein Hammer 24oz	\$45.60	\$52.44
321053	Ball Pein Hammer 32oz	\$49.21	56.59
321054	Ball Pein Hammer hickory handle 16oz	\$31.26	\$35.95
321055	Curved Claw Hammer 20oz	\$42.47	\$48.84



Compact bit set with a variety of popular screw head combinations including Slotted, Phillips, Pozidriv, Tamper Proof Torx and Hex



- Strong and robust design with ABS and TPE shock-proof casing
- Double sided metric graduations
- Ergonomic design with handy keychain ring



Fuel Line Coupling Release Plier 307223

• Suitable for all types of glow plugs ranging from 4.0V to 24.0V



.90

E Spanner Rack Organiser

301167

- Versatile spanner organiser suitable for offset
- and open end or combination spanners
- Size: 230mm



Club Hammer 3Lb 321056

- Made from carbon steel with a fibreglass and rubber handle
- Small compact sizes is ideal for use with steel chisels. demolition and construction work

.66

Aluminium Hammer 14oz 313315

- Ideal for fine bodywork adjustment or striking finely finished surfaces
- Head size: Ø30mm
- Overall length: 310mm





Hose Remover Set 301151

Designed specifically for manipulating the seal when removing or working with hoses



Fuel Line Disconnect Tool Set 301061

- Convenient fuel line disconnect tool set featuring 4 different sized tools designed for the removal of fuel line fittings
- Black: 1/4" Red: 5/16", Gold: 3/8" Blue: 1/2"

Magnetic Digital Box Level 1200mm 322051

- Digital magnetic box level with degree, percentage and pitch modes
- Tilted backlit LCD screen swivels for upright read out
- Audible buzzer at buzzer at 0°, 45°, 90°
- Length: 1200mm



Magnetic Digital Box Level 600mm 322050

- Precision angle measurement to 0.05 degrees
- Length: 600mm



Magnetic Torpedo Level 322010

- Features horizontal and vertical shockproof acrylic vials
- Overall length: 250mm

98



Oil Filter Cup Wrench 305125

- Flutes: 45



Fuel & Additive Funnel

- Essential tool for emergency refueling with the use of a jerry can, also suitable for mixing fuel $\bar{\text{a}}\text{d}\text{d}\text{itive}$
- Suitable for adding fuel additive into fuel tank with ease

Outlet Diameter Price ex GST Price inc GST Type

Panel & Trim Wedge Kit 12 Pc.

- Suitable for reforming panels without damaging paint work
- Interchangeable tips to accommodate various dents Includes two knurled aluminium handles and two piece strike plates

Hose Clamp Pliers 321909

- Suitable for various spring type hose clamps
- Multi-directional pliers give wide range of angles in confined spaces
- Serrated jaws give a secure grip onto spring loaded hose clamps
- Overall length: 255mm



Engineering Square High Precision 50mm 321115

- Manufactured to equivalent Japanese Industrial Standard JIS B 7526
- High grade Japanese Carbon Steel (S50C)
- Made in Japan





Pick-Up Flexible Cord 301017

- Narrow and long probe gives access to confined spaces
- Flexible stainless steel probe bends and holds in all positions
- Shaft Ø: 6.5mm
- Overall Length: 510mm

Pick-Up Tool Magnetic Telescopic 301298

- Features pocket clip and telescopic body for adjustable reach
- Telescopic Range: 170-760mm
- Magnet Size: Ø 7mn
- Magnet Capacity: 700g

Pick-Up Tool Magnetic Telescopic

- Features pocket clip and telescopic body for adjustable reach
- Telescopic Range: 125-640mm
- Magnet Size: Ø 13mm
- Magnet Capacity: 2.5kg

Pick-Up Tool Magnetic Telescopic

- Telescopic body for adjustable reach
- Telescopic Range: 170-760mm Magnet Size: Ø 13mm
- Magnet Capacity: 3.6kg

Tailor's Scissors

Tailor's scissors forged steel nickel plated with black handle

Part No.	Blade Length	Price ex GST	Price inc GST
1068BU	90mm	\$17.02	\$19.57
10610BU	100mm	\$39.94	\$45.94
10612BU	150mm	\$62.28	\$71.62



Desoldering Pump/Solder Sucker 302121

- Used for the safe & easy removal of molten solder during soldering repair work, ideal for circuit boards
- Overall Length: 190mm

Pick-Up/Retrieval Tool Flexible Shaft

Claw Style Heavy Duty 301697

• Featuring flexible shaft with spring loaded extendable retrieval claw function including magnetic tip

Security Spring Hook 321262

- Designed for securing tools when working at high levels such as roofs, scaffolding etc, to prevent loss of tools and downtime retrieving fallen tools
- Load weight: 3kg
- Extends to: 600 1800mm



Slot Chisel Heavy Duty Straight 301560

- Suitable for automotive and industrial applications including removing rounded or corroded exhaust nuts and bolts, cutting sheet metal and body panels, removing welding slag, rivets and baked on gaskets and rust
- Overall length: 240mm
- Made in Japan

Wheel Hub Cleaner Kit 321204

- Designed to clean corrosion on hub and wheel surfaces including wheel studs
- Cleaning surfaces will ensure flush fitment of wheels to hub and prevent cross threading of wheel nuts





Tyre Levers

Forged chrome vanadium alloy steel

Hardened and tempered

Part No	Length (mm)	ex GST	inc GST
309033	400	\$27.33	\$31.43
309034	500	\$34.19	\$39.32
309035	600	\$43.45	\$49.96

Strike-Thru Pry Bar Set 4 Pc 321027

- Steel cap for striking applications, suitable for heavy duty automotive and truck work
- Length: 200, 300, 450, 600mm



Strike-Thru Pry Bar 301070

- Features square shanked shaft with flat blade end and plastic grip handle with impact head
- Manufactured from high quality alloy steel for strength and durability
- Overall length: 780mm



Universal Joint Socket Set Metric Hex & Torx 1/2" Sq. Dr.

- Universal joint sockets for use on Metric, SAE Hex and Torx fasteners used in modern automotive applications
- Socket sets feature 1/2" square drive with universal joint design, extension bar, sliding T-Handle and ratchet adaptor
- Size: 3, 4, 5, 6, 7, 8, 10 (mm)



Universal Joint Socket Sets Hex & Torx 3/8" Sq. Dr. * 301176

- Universal joint sockets for use on Metric, SAE Hex and Torx fasteners used in modern automotive applications
- Socket sets feature 3/8" square drive with universal joint design, extension bar, sliding T-Handle and ratchet adaptor
- Size: T20, T25, T27, T30, T40, T45, T50



Pipe/Tube Bender 300mm 301036

- Multi-head tube bender to suit 4mm, 6mm, 8mm and 10mm pipe
- Suitable for manipulating copper, brass, aluminium and mild steel







Aviation Cutting Snips

- Serrated cutting blades are heat treated for superior strength, toughness and durability
- Manufactured from chrome molybdenum
- Length: 250mm

Part No.	Description	Handle	Price ex GST	Price inc GST
301120	Left cut	Red	\$26.20	\$30.12
301121	Straight cut	Yellow	\$26.57	\$30.55
301122	Right cut	Green	\$26.20	\$30.12



Ball Joint Puller Window Type

• Heavy duty pullers for the removal of



\$369.50

\$424.93

¢ a	21
3 7)	. ∠
	Ex GST

39mm

311071

Magnetic Stainless Steel Tray 301006

- Strong in-built magnet
- Tray size: 150mm diameter Tray depth: 38mm



Crimper, Cutter & Stripper ws210


- Reliable crimper, cutter and stripper for versatile use
- Suitable for insulated and non insulated terminals

Fencing Plier FP10

- For cutting, gripping and manipulating components and wires, commonly used in fencing and farming applications
- Combination plier including three specially designed wire cutters
- Serrated gripping zones for flat and round material
- Jaw opening: 0-52mm
- Length: 260mm



Precision Hammer Set Mini Multi-Head 8 Oz 321046



- Ideal for delicate interior and exterior applications
- Handy wedge handle is suitable for use as a trim remover

Combination Square Metric & Imperial CS30012

Suitable for use as inner or outside try square, mitre square, horizontal, 45° and plumb level, depth and marking gauge and rule

Detachable ruled blade (300mm / 12 inch)



Door Trim Remover 313297

- Well-designed tool that removes upholstery clips quickly
- Simply place the tool under the edge of the door panel and insert into fastener, then pry upwards



Crimper, Cutter & Stripper

- Handy multi-application tool for wire cutting, crimping insulated and non-insulated terminals, screw cutting and wire stripping
- Overall length: 240mm





Engineering Squares

- Used for producing right angles in carpentry and engineering applications
- Spring steel blade and handle

Part No.	Style	Blade Length	Price ex GST	Price ex GST	
SSA6	Non-Graduated	150mm	\$40.27	\$46.31	
SSA8	Non-Graduated	200mm	\$68.96	\$79.30	
SSA10	Non-Graduated	250mm	\$115.71	\$133.06	



Soldering Irons

- Ergonomic bakelite handle with rubber grip which i comfortable, non conductive &heat resistant
- Nichrome with sheet mica covered element & long life tip
- Reliable service life & ongoing performance

Part No.	Wattage	Heat Range	Price ex GST	Price inc GST
302100	50Hz 25W	390-420°C	\$30.12	\$34.63
302101	50Hz 40W	450-480°C	\$32.61	\$37.50
302102	50Hz 60W	460-480°C	\$32.12	\$36.93
302103	50Hz 80W	480-500°C	\$36.58	\$42.07
302104	50Hz 100W	480-500°C	\$52.61	\$60.50



CV Boot Clamp Plier 311009

- For fastening of clamps on CV boots and double ear clamps
- Features 1/2" square drive for torque wrench attachment when specific torque setting is required
- Overall length: 240mm



Panel Wedge Trim 313321

Durable non-marring panel wedge set

- Suitable for removing interior and exterior trims, moulds and badges etc.
- Blade width: 72mm (3")

Diagonal Cutting Plier

301994

- Heavy duty cutters for powerful, efficient and precise cutting
- Suitable for most soft and hard wire up to 3mm in diameter
- Opening jaw: 0-22mm
- Length:180mm

Long Nose Plier Straight Tip



Part No.	Length	Tip	Price ex GST	Price inc GST
301996	210mm	Straight	\$38.69	\$44.49
301997	210mm	45° tip	\$39.26	\$45.15









Internal Pulling Attachment

- Internal pulling attachment to allow Sykes-Pickavant external bearing pullers 093100 and 093200 internal pulling capability
- Supplied in carton
- Spread: 40-150mm
- Reach: 100mm





Collapsible Magnetic Parts Trays

- Unique design allows the parts tray to close fully flat for easy storage
- Height adjustable to suit different applications
- Suitable for safely storing small parts, nuts, bolts and screws



Part No.	Depth	Magnet Size	Price ex GST	Price inc GST
680002	10 - 115mm	1 x 85mm	\$60.92	\$70.05
680003	10 - 60mm	2 x 80mm	\$78.17	\$89.89



- for use in workshops, building, camping an outdoor use
- Adjusts the brightness from 60-1000 Lumens





Mechanical Puller Kits Twin/Triple Reversible Leg

Twin and triple head (changed from beam) and double ended legs for a wide range of pulling options

Part No.	Spread	Reach	Price ex GST	Price inc GST
660375	0-100mm	75mm	\$187.01	\$215.06
084900	0-200mm	140mm	\$756.80	\$870.32



Bearing Separator 10-55mm 095000

Spread: 10-55mm

or 094000 Twin Leg Pulling Unit



Butane Soldering

- and Hot Blower
- Piezo ignition with adjustable flow and constant flame capability
- Inbuilt stand and child safety latch
- This is kit is not supplied or filled with butane gas





Heavy Duty Torque Wrench 1" Sq.Dr 802550

- New Generation Mortorg 2-piece split torque head and handle design Unique profiled cam and reaction plate, provides a clear torque signal and the large break angle greatly reduces the possibility of over torqueing
- Made in England





Description	Length	Drive Sq. Dr.	Range Nm	Range lbf. ft	Ratchet Teeth
Motora 550	1475mm	1″	700 - 1500	500 - 1000	36







Internal Extractor Kits

- Extract components quickly and efficiently when conventional pullers cannot be used
- Removes bearings, oil seals etc
- No. of Split Collet Extractors: 3

Part No.	Spread	Magnet Size	Price ex GST	Price inc GST
095801	6-13mm	1 x 85mm	\$405.73	\$466.59
095803	30-60mm	2 x 80mm	\$970.08	\$1,115.60

Battery Acid Hydrometer

- Professional tester for measuring the state of charge in lead acid batteries
- Measures specific gravity of battery acid and indicates battery condition with a red / green scale
- Accurate, simple to use with glass tube and float, rubber siphon and probe



4 Way Mini Puller

082450 19-36mm

- Ideal for windscreen wiper arms.
- Unique 4 way design allows for 4 different jaw widths to be selected
- Reversible and interchangeable legs
- Removable centrepiece for wider application coverage
- Capacity from 19-36mm



Brake Caliper Windback Kit 036150



- Designed for brake caliper piston windback operation
- Features right hand and left hand windback thread to support both application types



NEW PRODUCT





Multi-Voltage Battery Charger 6V/12V/24V

- Variable voltage output 6/12/24V
- Lithium compatible (12/24V)
- Power supply function 12/24V
- Reverse polarity protections
- Simple operation, easy to read display



Surge Protector Permanent Vehicle Mount 12/24V MA224HD

- Ideal for eliminating voltage surges and spikes created in dual battery systems and winches
- Commercial vehicles, 4WD, automotive and marine applications Protects electronics from voltage spikes and surges





Bluetooth Vehicle System Monitoring MA98414

- Plugs into OBDII port
- Monitor vehicle conditions in real-time
- Monitor fuel consumption
- Diagnostic function to scan, read and clear fault codes
- Track monthly and daily statistics
- View maps of travel routes and time
- Set reminders for scheduled servicing

















Matson Charger MA20DCS

- Set and forget one set memory function
- 20 Amp output, 12 Volt input
- Three stage smart charging
- IP65 rated resistant to dust, splash and rain

Cable Lug **Assortment Pack**

10 piece of: MA1-5, MA1-6, MA2-5, MA2-6, MA4-8, MA6-6, MA6-8, MA10-6, MA10-10, MA16-6, MA16-8, MA16-10



Cable Lug **Assortment Pack**

- 10 piece of : MA25-8, MA25-10, MA35-8, MA35-10, MA35-12, MA50-10, MA50-12
- 5 piece of MA70-10, MA70-12, MA95-12





Mini Lithium Jump Starter MA10000

- 12V 200A starting current
- 10W Wireless device charging 10000mAh capacity (37Wh)
- Back-up power for portable devices
- Powerful torch function
- Starts up to 3L diesel engines
- Full safety protections





Memory Saver 12 Volt MS-1E

- Provides power to 12V vehicle computers while changing vehicle starting battery
- Helps preserve computer memory of radio stations, clocks, user settings etc
- Connects via OBDII port, cig socket or battery clips
- OBDII, cig and battery clips leads included Contains 12V 4.5Ah
- rechargeable SLA battery
- Status warning LED lights






Matson Dual USB Car Charger Adaptor MA98413



Keep your digital devices fully charged while you drive. Simply plug your device into the USB car charger adaptor to charge

Jumper Leads

- Antizap booster cables are guaranteed to protect against voltage spikes
- Durable high grade insulation material resists acid, oil and chemicals
- Crimped, fully insulated 400 Amp clamps
- High Speed surge protection













Chisel & Punch Tool Set 8 Pc. RENO3

- Tools neatly stored in high quality EVA foam tray
- Made in Germany

Contents	Size mm	Contents	Size mm
Flat Cold Chisel	200 x 24mm	Parallel Pin Punch	150 x 4mm
Flat Cold Chisel	300 x 26mm	Parallel Pin Punch	150 x 6mm
Cenrte Punch	150 x 6mm	Parallel Pin Punch	150 x 8mm
Parallel Pin Punch	150 x 3mm	Parallel Pin Punch	150 x 10mm



Chisel & Punch Tool Roll RCP11

- Set of 11 chisels and punches in handy canvas tool roll with clip
- Made in Germany

Contents	Size	Contents	Size
Flat Cold Chisel	150mm	Parallel Pin Punch	150 x 4mm
Flat Cold Chisel	200mm	Parallel Pin Punch	150 x 5mm
Flat Cold Chisel	250mm	Parallel Pin Punch	150 x 6mm
Taper Punch	120 x 3mm	Parallel Pin Punch	150 x 8mm
Parallel Pin Punch	150 x 2mm	Parallel Pin Punch	150 x 10mm
Parallel Pin Punch	150 x 3mm		



Chisel & Punch Tool Roll

- Set of 11 chisels and punches in handy canvas tool roll with clip
- Made in Germany

	-		
Contents	Size mm	Contents	Size mm
Parallel Pin Punch	150 x 2mm	Parallel Pin Punch	150 x 10mm
Parallel Pin Punch	150 x 3mm	Centre Punch	150 x 6mm
Parallel Pin Punch	150 x 4mm	Taper Punch	120 x 3mm
Parallel Pin Punch	150 x 5mm	Flat Cold Chisel	200mm
Parallel Pin Punch	150 x 6mm	Flat Cold Chisel	250mm
Parallel Pin Punch	150 x 8mm		





Screw Extractor Set Metal Case Dual Edge 5 Pc. 471 901

- For damage free removal of broken screws and bolts
- High-strength steel for greater resistance to breaking and rounding out
- Can be turned in clockwise or counterclockwise direction (for right and left hand threads)
- Size range: M6 M20





Screw Extractor Set Easy Out 8 Pc. 470912

- Size 1-8 in plastic tube
- For extraction jobs e.g. removal of broken screws and threaded bolts without damaging the threading
- $Material: chrome \ vanadium \ steel, hardened \ with \ burnished \ surface$
- Made in Germany





Pointed Tip

Straight Edge

2732 1500

2735 1500



Crowbars Heavy Duty

- Heavy duty crowbars suitable for all demolition, carpentry and construction work
- High-quality forged tool steel with black powder coated finish
- Made in Germany

	Part No.	End 1	End 2	Length mm	Point/Ball Size mm	Edge Width mm	Shaft Size mm	Weight kg	Price ex GST	Price inc GST
	2731 1000	Curved Edge	Pointed Tip	1000	6	45	30	5.18	\$137.35	\$157.95
	2731 1500	Curved Edge	Pointed Tip	1500	6	45	30	7.95	\$206.03	\$236.93
	2732 1000	Straight Edge	Pointed Tip	1000	6	45	30	5.13	\$137.35	\$157.95
rk	2732 1500	Straight Edge	Pointed Tip	1500	6	45	30	7.91	\$206.03	\$236.93
	2734 1000	Curved Claw Edge	Pointed Tip	1000	6	45	30	5.18	\$137.35	\$157.95
	2734 1500	Curved Claw Edge	Pointed Tip	1500	6	45	30	7.92	\$206.03	\$236.93
	2735 1500	Straight Edge	Ball Tip	1500	55	7	30	8.6	\$297.58	\$342.22





Modular Drawer Merchandiser CMHAS200

- Full stainless, perforated clamps for corrosion resistance
- All popular sizes
- 200 Clamps

Part No.	Size mm	Qty	Part No.	Size mm	Qty
MAH004	6-16	30	HAS020	21-44	15
MAH006	11-22	30	HAS024	27-51	15
HAS010	14-27	30	HAS028	33-57	15
HAS012	18-32	30	HAS032	40-64	15
HASO16	21-38	30	Total	200 Clamps	
		1			di.









Modular Drawer Merchandiser CMHSHS250

- Part stainless steel, solid band
- All popular automotive sizes
- 250 Clamps

Part No.	Size mm	Qty	Pa	ırt No.	Size mm	Qty		
SMH004	6-16	30	S	HS020	21-44	30		
SMH006	11-22	30	S	HS024	27-51	30		
SHS010	14-27	30	S	HS028	33-57	20		
SHS012	18-32	30	S	HS032	40-64	20		
SHS012	21-38	30		otal [250 Claı	nps		



TRIDON > **Constant Tension Clamps**

- 304 Stainless Steel Heavy Duty Band and Housing
- Heavy duty constant tension spring loaded perforated band clamp
- Spring loaded screw design for even presure distribution and constant tension in flutuating tempreture
- Pack of 10

Part No.	Size mm	Price ex GST	Price inc GST
TCT010P	14-27	\$34.92	\$40.16
TCT012P	16-32	\$35.60	\$40.94
TCT016P	21-38	\$36.44	\$41.91
TCT020P	20-44	\$37.29	\$42.89
TCT028P	33-57	\$39.32	\$45.22
TCT036P	46-70	\$41.35	\$47.56
TCT038P	65-89	\$44.50	\$51.18





Stainless Steel Cable Ties 304 Stainless Steel

- Ideal for environmentally harsh conditions including indoors, outdoors and underground
- Ball locking mechanism to enable quick and easy to installation by hand or with cable tie cutter (Part No. CTC2065)
- Pack of 50

• ruckoi	30					
Part No.	Size mm	Price ex GST	Price inc GST	Part No.	Size mm	Price ex GST
CTSS124	127 x 4.6	\$38.84	\$44.67	CTSS128	127 x 7.9	\$44.05
CTSS154	152 x 4.6	\$43.12	\$49.59	CTSS158	152x 7.9	\$44.58
CTSS204	201 x 4.6	\$44.05	\$50.66	CTSS208	201 x 7.9	\$44.75
CTSS264	266 x 4.6	\$46.33	\$53.28	CTSS268	266 x 7.9	\$47.07
CTSS304	300 x 4.6	\$50.00	\$57.50	CTSS308	300 x 7.9	\$54.23
CTSS364	362 x 4.6	\$54.42	\$62.58	CTSS528	521 x 7.9	\$103.43
CTSS524	521 x 4.6	\$68.98	\$79.32			



Price inc GST

\$50.66

\$51.26

\$51.46

\$54.13

\$62.37

\$118.95



316 Stainless Steel Epoxy Coated

Pack of 10



Part No.	Size	Price ex GST	Price inc GST		
CT316-204CD	200 x4mm	\$6.93	\$7.97		
CT316-304CD	300 x4mm	\$8.62	\$9.91		
CT316-524CD	520 x4mm	\$11.27	\$12.96		



Colour Cable Ties

Pack of 100



Part No.	Colour	Size mm	Price ex GST	Price inc GST
CT205GRCD	Green	200 x 4.8	\$6.71	\$7.72
CT205PUCD	Purple	200 x 4.8	\$6.71	\$7.72
CT205RACD	Orange	200 x 4.8	\$6.71	\$7.72
CT205RDCD	Red	200 x 4.8	\$6.71	\$7.72
CT205YLCD	Yellow	200 x 4.8	\$6.71	\$7.72
CT305GRCD	Green	300 x 4.8	\$11.97	\$13.76
CT305PUCD	Purple	300 x 4.8	\$11.97	\$13.76
CT305GRAD	Orange	300 x 4.8	\$11.97	\$13.76
CT305RDCD	Red	300 x 4.8	\$11.97	\$13.76
CT305TLCD	Yellow	300 x 4.8	\$11.97	\$13.76

Prices valid 1 February to 31 March 2024. Prices include GST. Please refer to the relevant Tridon catalogues for more comprehensive product information. As participating stores are independent businesses, they reserve the right to set their own selling prices. Pricing throughout this publication is the recommended trade price and may vary from store to store. Every effort has been made to ensure stocks are available at the time of printing. Should any item not be in stock on placement of orders, stores will endeavour to procure those published items. Product images are for illustration purposes only. Produced by Tridon Australia Pty Ltd ACN 001 398 698 ABN 90 001 398 698